

## Thunderbird - Checking your settings

### 1. Open Account Settings

- In Thunderbird, go to **Application Menu (≡) > Account Settings**.
  - Alternatively, right-click your email account in the left pane and select **Settings**.
- 

### 2. Update Server Settings

- In the left-hand menu, click on **Server Settings** under your account.
  - Adjust as needed:
    - For IMAP:
      - **Server Name:** `imap.voice.net.au`
      - **Port:** `143` (STARTTLS), `993` (SSL/TLS)
      - **Connection Security:** `STARTTLS for port 143` or `SSL/TLS for port 993`
      - **Authentication Method:** `Normal password`
      - **Username:** Your full email address (Eg `example.user@voice.net.au`)
    - For POP3:
      - **Server Name:** `pop.voice.net.au`
      - **Port:** `110` (STARTTLS), `995` (SSL/TLS)
      - **Connection Security:** `STARTTLS for port 110` or `SSL/TLS for port 995`
      - **Authentication Method:** `Normal password`
      - **Username:** Your full email address (Eg `example.user@voice.net.au`)
- 

### 3. Update Outgoing (SMTP) Settings

- Scroll down and click **Outgoing Server (SMTP)** at the bottom left.
  - Select the correct SMTP server from the list, then click **Edit**.
  - Adjust as needed:
    - **Server Name:** `smtp.voice.net.au`
    - **Port:** `587` (STARTTLS) or `465` (SSL/TLS)
    - **Connection Security:** `STARTTLS (Port 587)` or `SSL/TLS (Port 465)`
    - **Authentication Method:** `Normal password`
    - **Username:** Your full email address (Eg `example.user@voice.net.au`)
- 

### 4. Save and Test

- Restart Thunderbird if it requests it and try sending/receiving mail to test.
- 

## Screenshot Examples

Local Folders Account Settings

+ New Account

example.user@voice.net.au

- Server Settings
- Copies & Folders
- Composition & Addressing
- Junk Settings
- Synchronisation & Storage
- End-To-End Encryption
- Return Receipts

Local Folders

- Junk Settings
- Disk Space

Outgoing Server (SMTP)

### Server Settings

Server Type: IMAP Mail Server

Server Name:  Port:  Default: 143

User Name:

### Security Settings

Connection security:

Authentication method:

### Server Settings

Check for new messages at startup

Check for new messages every  minutes

Allow immediate server notifications when new messages arrive

When I delete a message:

Move it to this folder:

Just mark it as deleted

Remove it immediately

Advanced...

### Message Storage

Clean up ("Expunge") Inbox on Exit

Empty Deleted folder on Exit

Message Store Type:

Local Directory:

